

L Number	Hits	Search Text	DB	Time stamp
48	1	5706349.pn.	USPAT; US-PGPUB	2004/10/22 10:19
-	378	713/185.ccls.	USPAT; US-PGPUB	2004/10/19 14:46
-	259	713/185.ccls. and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 14:47
-	77	713/185.ccls. and @ad<20010501. and ("multiple token" or token or "physical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/19 14:48
-	2	713/185.ccls. and @ad<20010501. and ("multiple token" or token or "physical token" or smart\$1card) with (authenticat\$5 near3 ("user id" or id or pin))	USPAT; US-PGPUB	2004/10/19 14:56
-	8	((("multiple token" or token or "physical token" or smart\$1card) with (authenticat\$5 near3 ("user id" or id or pin)) with session)	USPAT; US-PGPUB	2004/10/19 15:27
-	5	((("multiple token" or token or "physical token" or smart\$1card) with (authenticat\$5 near3 ("user id" or id or pin)) with session) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 15:07
-	31	("multiple token" or token or "physical token" or smart\$1card) with (authenticat\$5 near3 ("user id" or id or pin)) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 15:22
-	66	("multiple token" or token or "physical token" or smart\$1card) same (authenticat\$5 near3 ("user id" or id or pin)) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 15:23
-	0	((("multiple token" or token or "physical token" or smart\$1card) same (authenticat\$5 near3 ("user id" or id or pin)) and @ad<20010501.) with "thin client architecture"	USPAT; US-PGPUB	2004/10/19 15:24
-	0	"thin client architecture" with ((authenticat\$5 near3 ("user id" or id or pin)) and @ad<20010501.)	USPAT; US-PGPUB	2004/10/19 15:25
-	90	"thin client architecture"	USPAT; US-PGPUB	2004/10/19 15:25
-	34	"thin client architecture" and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:44
-	36150	("multiple token" or token or "physical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/19 16:24
-	0	((("multiple token" or token or "physical token" or smart\$1card) same(authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")) same ((produc\$3 or yield\$3 or creat\$3) near3 (authentcat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number"))))	USPAT; US-PGPUB	2004/10/19 15:34
-	307	((("multiple token" or token or "physical token" or smart\$1card) same(authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")))	USPAT; US-PGPUB	2004/10/19 15:37
-	0	((("multiple token" or token or "physical token" or smart\$1card) same(authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")) same ((produc\$3 or yield\$3 or creat\$3) near3 (authentcat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")))	USPAT; US-PGPUB	2004/10/19 15:35

-	0	((("multiple token" or token or "physical token" or smart\$1card) same(authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")))) same (authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")))	USPAT; US-PGPUB	2004/10/19 15:36
-	140	((("multiple token" or token or "physical token" or smart\$1card) same(authenticat\$5 near3 ((user adj2 id) or id or identification or pin or "personal identification number")))) and @ad<20010501	USPAT; US-PGPUB	2004/10/19 15:37
-	35	((("multiple token" or token or "physical token" or smart\$1card)) and "thin client architecture"	USPAT; US-PGPUB	2004/10/19 15:50
-	291	session with (authenticat\$5 near3 ("user id" or id or "pin" or "identification"))	USPAT; US-PGPUB	2004/10/19 16:01
-	2	session with (authenticat\$5 near3 ("user id" or id or "pin" or "identification")) same ("authenticated token")	USPAT; US-PGPUB	2004/10/19 15:54
-	18	"authenticated token"	USPAT; US-PGPUB	2004/10/19 15:55
-	6	"authenticated token" and @ad<20010501.	USPAT; US-PGPUB	2004/10/21 11:15
-	14	session with (authenticat\$5 near3 ("user id" or id or "pin" or "identification")) with ("multiple token" or token or "physical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/19 16:01
-	9	session with (authenticat\$5 near3 ("user id" or id or "pin" or "identification")) with ("multiple token" or token or "physical token" or smart\$1card) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:02
-	1776	("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5	USPAT; US-PGPUB	2004/10/19 16:07
-	4	("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5 with (access\$3 adj session)	USPAT; US-PGPUB	2004/10/19 16:10
-	152	("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5 with session	USPAT; US-PGPUB	2004/10/19 16:10
-	70	("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5 with session and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:17
-	70	((("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5) with session) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:13
-	1	713/185.ccls. and ("multiple token" or token or "physical token" or smart\$1card) with authenticat\$5 with session and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:17
-	1	6490680.URPN.	USPAT	2004/10/19 16:18
-	3	"multiple token access"	USPAT; US-PGPUB	2004/10/19 16:26
-	1336	access\$3 adj2 session	USPAT; US-PGPUB	2004/10/19 16:46
-	21	((access\$3 adj2 session) with (authenticat\$5 with ((user adj2 id) or id or identification or pin or "personal identification number")))	USPAT; US-PGPUB	2004/10/19 16:29
-	5	((access\$3 adj2 session) with (authenticat\$5 with ((user adj2 id) or id or identification or pin or "personal identification number")))) and @ad<20010501	USPAT; US-PGPUB	2004/10/19 16:42
-	111	(access\$3 adj2 session) with (authenticat\$5)	USPAT; US-PGPUB	2004/10/19 16:32
-	10	(access\$3 adj2 session) with (authenticat\$5) with ("token" or "physical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/19 16:33

-	5	(access\$3 adj2 session) with (authenticat\$5) with ("token" or "physical token" or smart\$1card) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:33
-	1	"multiple token access" with "thin client architecture session"	USPAT; US-PGPUB	2004/10/20 09:13
-	3	"multiple token access"	USPAT; US-PGPUB	2004/10/19 16:43
-	1	6490680.URPN. and (authenticat\$4)	USPAT; US-PGPUB	2004/10/19 16:45
-	51	(access\$3 adj2 session) with (authenticat\$4 adj2 "id" or "identification" or pin)	USPAT; US-PGPUB	2004/10/19 16:47
-	17	(access\$3 adj2 session) with (authenticat\$4 adj2 "id" or "identification" or pin) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:48
-	17	(access\$3 adj2 session) with (authenticat\$4 adj2 "id" or "identification" or pin) and @ad<20010501.	USPAT; US-PGPUB	2004/10/19 16:48
-	1	"multiple token access" and "thin client architecture session"	USPAT; US-PGPUB	2004/10/21 17:54
-	0	"session" with "authenticat\$4 token"	USPAT; US-PGPUB	2004/10/20 09:15
-	80	"session" with (authenticat\$4 near3 token)	USPAT; US-PGPUB	2004/10/20 09:16
-	80	("session" with (authenticat\$4 near3 token)) with ("physical toke" or token or smart\$1card)	USPAT; US-PGPUB	2004/10/20 09:17
-	104	("session" with (produc\$3 or yield (authenticat\$4 near3 token))) with ("physical toke" or token or smart\$1card)	USPAT; US-PGPUB	2004/10/20 09:18
-	38	("session" with (produc\$3 or yield (authenticat\$4 near3 token))) with ("physical toke" or token or smart\$1card) and @ad<20010501	USPAT; US-PGPUB	2004/10/20 15:20
-	0	("session" with (produc\$3 or yield (authenticat\$4 near3 token))) with ("physical toke" or token or smart\$1card) and @ad<20010501 with ("thin layer architecture")	USPAT; US-PGPUB	2004/10/20 09:44
-	1	"initial token" and "authenticated token"	USPAT; US-PGPUB	2004/10/20 10:28
-	43736	"token" to "access session from a terminal"	USPAT; US-PGPUB	2004/10/20 10:29
-	2	("token" to "access session from a terminal") with (authenticat\$4 adj2 token) with disconnect\$3.	USPAT; US-PGPUB	2004/10/20 10:30
-	2	("token" to "access session from a terminal") with (authenticat\$4 adj2 token) with (multiple adj2 token)	USPAT; US-PGPUB	2004/10/20 10:40
-	57	"access session" with authenticat\$3	USPAT; US-PGPUB	2004/10/20 10:45
-	1	"access session" with authenticat\$3 with ("phisical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/20 10:43
-	16	"access session" with authenticat\$3 and @ad<20010501.	USPAT; US-PGPUB	2004/10/20 11:17
-	33	"virtual desktop system architecture"	USPAT; US-PGPUB	2004/10/20 11:19
-	598	("token" to "access session from a terminal") with (authenticat\$4 adj2 token)	USPAT; US-PGPUB	2004/10/20 14:04
-	97	(access\$3 near3 session) with (authenticat\$3 near3 (user or client))	USPAT; US-PGPUB	2004/10/20 13:35
-	0	(access\$3 near3 session) with (authenticat\$3 near3 (user or client)) with ((different or two) near3 terminal)	USPAT; US-PGPUB	2004/10/20 13:36
-	5	(access\$3 near3 session) with (authenticat\$3 near3 (user or client)) with terminal	USPAT; US-PGPUB	2004/10/20 13:37
-	15	(access\$3 near3 session) with (authenticat\$3 near3 (user or client)) with (token or "physical token" or smart\$1card)	USPAT; US-PGPUB	2004/10/20 13:53

-	26	(access\$3 near3 session) with (authenticat\$3 near3 (user or client) with (token or "physical token or samrt\$1card or id or identification or pin or "personal identification number or "mobile gui login token"))	USPAT; US-PGPUB	2004/10/20 13:54
-	26	(access\$3 near3 session) with (authenticat\$3 near3 (user or client) with (token or "physical token or samrt\$1card or id or identification or pin or "personal identification number or "mobile gui login token" or passphrase or biometric or fingerprint or retina))	USPAT; US-PGPUB	2004/10/20 13:55
-	13	(access\$3 near3 session) with (authenticat\$3 near3 (user or client) with (token or "physical token or samrt\$1card or id or identification or pin or "personal identification number or "mobile gui login token" or passphrase or biometric or fingerprint or retina)) and @ad<20010501.	USPAT; US-PGPUB	2004/10/20 13:56
-	19	("token" to "access session from a terminal") with (authenticat\$4 adj2 token) and 713/185.ccls.	USPAT; US-PGPUB	2004/10/20 14:16
-	0	20040117623.URPN.	USPAT	2004/10/20 14:04
-	19	("token" to "access session from a terminal") and (authenticat\$4 adj2 token) and 713/185.ccls.	USPAT; US-PGPUB	2004/10/20 14:16
-	4	("5237614" "5638448" "5754841" "5794250").PN.	USPAT	2004/10/20 14:52
-	28	5794250.URPN.	USPAT	2004/10/20 14:52
-	4	("session" with (produc\$3 or yield near3 (authenticat\$4 near3 token))) with ("physical toke" or token or smart\$1card) and @ad<20010501	USPAT; US-PGPUB	2004/10/20 15:23
-	1	(access adj2 "same session") with (("any" or different or two or another) adj2 (terminal or client or computer))	USPAT; US-PGPUB	2004/10/20 15:26
-	0	20020169967.URPN.	USPAT	2004/10/20 15:25
-	14	(access adj2 "same session")	USPAT; US-PGPUB	2004/10/20 16:08
-	0	20040068572.URPN.	USPAT	2004/10/20 15:33
-	13	("4995112" "5241594" "5434918" "5455953" "5481720" "5491752" "5535276" "5544322" "5560008" "5586260" "5590199" "5604490" "5617570").PN.	USPAT	2004/10/20 15:42
-	30	5617570.URPN.	USPAT	2004/10/20 15:42
-	18	(access\$3 adj2 "same session")	USPAT; US-PGPUB	2004/10/20 16:11
-	44	(access\$3 near3 "same session")	USPAT; US-PGPUB	2004/10/20 16:11
-	19	(access\$3 near3 "same session") and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:31
-	9	6035406.URPN.	USPAT	2004/10/20 17:06
-	12	("4759063" "5229764" "5465084" "5559961" "5608387" "5821933" "5838306" "6006328" "6035406" "6091835" "6298447" "6418424").PN.	USPAT	2004/10/20 17:06
-	0	((log\$lin or log\$lon or logon or login or access\$3) with ((multiple or two or different) adj2 (terminal or client or computer)) with ("same session"))	USPAT; US-PGPUB	2004/10/21 08:48
-	4672	(log\$lin or log\$lon or logon or login or access\$3) with ((multiple or two or different) adj2 (terminal or client or computer))	USPAT; US-PGPUB	2004/10/21 08:48
-	1	(log\$lin or log\$lon or logon or login or access\$3) with ((multiple or two or different) adj2 (terminal or client or computer)) with (one adj2 authenticat\$4)	USPAT; US-PGPUB	2004/10/21 08:53

-	64	(log\$lin or log\$lon or logon or login or access\$3) with ((multiple or two or different) adj2 (terminal or client or computer)) with (authenticat\$4)	USPAT; US-PGPUB	2004/10/21 08:54
-	22	(log\$lin or log\$lon or logon or login or access\$3) with ((multiple or two or different) adj2 (terminal or client or computer)) with (authenticat\$4) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 08:54
-	9	("5559883" "5586121" "5586260" "5706507" "5748897" "5867667" "5896798" "5903721" "5915119").PN.	USPAT	2004/10/21 09:08
-	26	5915119.URPN.	USPAT	2004/10/21 09:08
-	0	(access\$3 near3 "same session") with ((second or two or another or multiple) adj2 terminal) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:32
-	1	(access\$3 near3 "same session") and (session adj2 disconnect\$4) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:34
-	157	(session adj2 disconnect\$4) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:53
-	3	(session adj2 disconnect\$4) and ((route\$3 or redirect\$3 or chang\$3) with (input/output or hid or "human interface device")) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:45
-	0	(session adj2 disconnect\$4) with ((route\$3 or redirect\$3 or chang\$3) with (input/output or hid or "human interface device")) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:40
-	0	(session adj2 disconnect\$4) same((route\$3 or redirect\$3 or chang\$3) with (input/output or hid or "human interface device")) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:41
-	2	(session adj2 disconnect\$4) and ((route or redirect\$3 or chang\$3) with (input/output or hid or "human interface device")) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:43
-	0	(session adj2 disconnect\$4) and 713.ccls. and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:52
-	0	((session adj2 disconnect\$4) and @ad<20010501) and 713.ccls. and @ad<20010501	USPAT; US-PGPUB	2004/10/21 10:52
-	0	((session adj2 disconnect\$4) and @ad<20010501) and 713.ccls.	USPAT; US-PGPUB	2004/10/21 10:53
-	12	((session adj2 disconnect\$4) and @ad<20010501) and 713/185-202.ccls.	USPAT; US-PGPUB	2004/10/21 10:54
-	182	(authenticated adj2 (token or "physical token" or smart\$1card or smartcard or "user id" or id or identification or pin or "personal identification number")) and @ad<20010501.	USPAT; US-PGPUB	2004/10/21 11:17
-	182	(authenticated adj2 (token or "physical token" or smart\$1card or smartcard or "user id" or id or identification or pin or "personal identification number")) and @ad<20010501.	USPAT; US-PGPUB	2004/10/21 11:19
-	62	(authenticated adj (token or "physical token" or smart\$1card or smartcard or "user id" or id or identification or pin or "personal identification number")) and @ad<20010501.	USPAT; US-PGPUB	2004/10/21 11:19
-	164	((disconnect\$3 or end or logoff or log\$loff) adj2 (terminal or client or computer) with (session)) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 17:56
-	194	((disconnect\$3 or end or logoff or log\$loff or terminate) adj2 (terminal or client or computer) with (session)) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 17:56
-	277	((disconnect\$3 or end or logoff or log\$loff or terminat\$3) adj2 (terminal or client or computer) with (session)) and @ad<20010501	USPAT; US-PGPUB	2004/10/21 17:57

-	20	((disconnect\$3 or end or logoff or log\$loff or terminat\$3) adj2 (terminal or client or computer) with (session)) and @ad<20010501 and 713/185-202.ccls.	USPAT; US-PGPUB	2004/10/21 17:58
-	0	((disconnect\$3 or end or logoff or log\$loff or terminat\$3) adj2 (terminal or client or computer) with ("same session")) and @ad<20010501 and 713/185-202.ccls.	USPAT; US-PGPUB	2004/10/21 17:58